
137NP Network Protectors





137NP Network Protector Line


Units are available from 800 Amp to 3500 Amp, ventilated or submersible, transformer or wall mounted.



137NP-3000-HTV


Model 137NP-3000-HTV 3000 Amp, 277/480 Volt, ventilated, transformer mounted Network Protector


Model 137NP-3000-LTS 3000 Amp, 125/216 Volt, submersible, transformer mounted Network Protector



137NP-3000-LTS









All mechanisms and housings are interchangeable with existing protectors and can be ordered separately.

Equip your Network Protectors with the ETI MNPRTM (Microprocessor Network Protector Relay)

THE MOST ADVANCED RELAY ON THE MARKET

Standard Features:

- Direct replacement for electromechanical and solid state relays
- Fully programmable, sensitive, insensitive, time delay, instant, watt-var
- Real time, three phase data acquisition and calculations
- Direct reading of network voltage, differential voltage, current, phase angle, and temperature
- Waveform capture and harmonic analysis

Optional Features:

- Auxiliary digital and analog inputs and outputs
- Two way communications via power line modem, RS232/485, fiber optics and/or infrared port
- Standard and custom protocols available
- Portable programmer and PC software available for remote operation and programming



For More Information On The 137NP Network Protectors Contact:

Richards Manufacturing Company 517 Lyons Avenue, Irvington, New Jersey, 07111

Phone: 973-371-1771 Fax: 973-371-4304

E-Mail: sales@richards-mfg.com

Visit Us On The Web www.richards-mfg.com