

313NP Network Protectors





313NP Network Protector Line


Units are available from 800 Amp to 3500 Amp, ventilated or submersible, transformer or wall mounted.




Model 313NP-3500-HTV 3500 Amp, 277/480 volt, ventilated, transformer mounted Network Protector

313NP-3500-HTV

Model 313NP-1875-LTS 1875 Amp, 125/216 volt, submersible, transformer mounted Network Protector



313NP-1875-LTS



All mechanisms and housings are interchangeable with existing protectors and can be ordered separately.


Equip your Network Protectors with the ETI MNPR[™] (Microprocessor Network Protector Relay) THE MOST ADVANCED RELAY ON THE MARKET

Standard Features:

- Direct replacement for electromechanical and solid state relays
- Fully programmable, sensitive, insensitive, time delay, instant, watt-var
- Real time, three phase data acquisition and calculations
- Direct reading of network voltage, differential voltage, current, phase angle, and temperature
- Waveform capture and harmonic analysis

Optional Features:

- Auxiliary digital and analog inputs and outputs
- Two way communications via power line modem,
- RS232/485, fiber optics and/or infrared port
- Standard and custom protocols available
- Portable programmer and PC software available for remote operation and programming



For More Information On The 137NP Network Protectors Contact:

Richards Manufacturing Company 517 Lyons Avenue, Irvington, New Jersey, 07111 Phone: 973-371-1771 Fax: 973-371-4304 E-Mail: sales@richards-mfg.com

Visit Us On The Web www.richards-mfg.com